

DIAMOND TOOLS

SHARING DIAMOND TOOLS CO., LTD.



Sharing Diamond Tools Co., Ltd.

Add: 17F, Wukuang Bldg, Dongdu Rd, Xiamen, China

Fax: +86-592-5033625 Tel: +86-18259236526

E-mail: info@chinastone-tools.com

www.chinastone-tools.com

www.sharingdiamondtools.com



Xiamen Sharing Group located at flower city - Xiamen, China, engaged in foreign trade for over 40 years, enjoys high prestige in business circles with its product sales around the world. For years, we have been listed among "Xiamen Top 50 Biggest Enterprises In Foreign Trade Value". The main business scope of Sharing Group includes:

Building materials like Stone, Cement, Glass, Aluminum, Metal, Mineral; Machinery, Chemical, Medical/Healthy product, Rubber/Plastic product, Art/Handicraft, Light Industrial product, Oil and so on.

Differing from other mere manufacturers or traders, Sharing Group positions itself as a special sourcer and user (We have more than 20 years production in stone field, stone export is our old and main business all the time, we know the best China stone tools come from) based on the role of manufacturer, so we can combine the most competitive price & professional production of manufacturer with the flexibility and diversity of sourcer. Golden Service is another feature of us; the core of our Golden Service is EPS.

EFFICIENCY PROFESSION, SAFETY

Welcome to Sharing!



Sharing Diamond tools Co., Ltd. is the division of Xiamen Sharing Group. We are supplying high quality Diamond Tools in China with more than 5 years, especially for the stone (Granite, Marble) working industry. Also we have good experiences in the Concrete, Asphalt, Ceramic cutting & polishing tools of construction field.

Wish you a good and pleased start with "Sharing Group"! To know more of us, please click meet the team.

Our Main products:

- Stone Cutting Grinding Polishing Tools
- Construction Cutting Grinding Polishing Tools
- Ceramic Tools
- Stone Machinery

www.chinastone-tools.com is one of important website of our group, it offers an comprehensive list of high quality diamond tools like Diamond Saw Blades, Diamond Segments, Diamond Dry Cutters, Diamond Wire Saw, Diamond Fidget, Diamond Grinding Cup Wheels, Diamond Profile wheels, Diamond Polishing Pads, Diamond Tuck Point Saw Blades, Diamond Core Drill Bits, Diamond Finger Bits, Diamond Rollers, Ceramic Wheels, etc.

China Sharing Diamond Tools Co., Ltd.



Culture

Idea: Dedicate to the improvement of development level for diamond tools, create a better life.

Target: Strive for top, to be world top brand enterprise for diamond tools.

Spirit: Quality, service, innovation, integrity.

Style: Timely communication, prompt action, concentration, going all out.

Talent idea: The best horse emerges from the racing, the talent grows from the business. When needed, the company will provide platform for comprehensive talents.

Service idea: Best client - service from customer mind, increasing quality and reliability. Support the client, create more value for client, be consistent partner of client.

Credibility: He who does not advance falls backward. No one can win competition.

Product idea: Different will have it, precision, superior quality.

Enterprise idea: Share and benefit, mutual gain.

Time idea: Good time, manage time, cut time, efficiency.

Maximize: Maximize the benefits, create to be the best, equality and mutual benefit, move forward together.

SHARING Diamond Concave Saw Blades

Diameter	Bore (mm)	Segment Height
105mm(4")	15.88mm(5/8"-11)	8mm
125mm(5")		
150mm(6")		
180mm(7")		
	20mm, 22, 23mm(7/8")	



SGT0017CSB-A



SGT0017CSB-B



SGT0017CSB-C

SHARING Diamond Granite Saw Blades



SGT0009-A SGT0009-B SGT0009-C SGT0009-D SGT0009-E

Diameter (mm/Inch)	Hole (mm)	Segment Height (mm)	Segment No. (pcs/set)	Steel Blank Type	Welding Method
250mm(10")	50/60	10/12/15/20	18 - 46	Normal	Silver Welded
800mm(32")					



SGT0009-F SGT0009-G SGT0009-H SGT0009-I

SHARING Diamond Dry Cutters



SGT0017-A SGT0017-B SGT0017-C SGT0017-D SGT0017-E SGT0017-F SGT0017-G SGT0017-H SGT0017-I



SGT0017-J SGT0017-L SGT0017-K

Diameter	Inner Hole	Segment Thickness	Segment Height
105mm	16/20	1.8	8
110mm	16/20	1.8	6
125mm	25.4/22, 23/20	2.2	8
180mm	25.4/22, 23/20	2.4	8/10
200mm	25.4/22, 23/20	2.6	8/11
230mm	25.4/22, 23/20	2.8	8/12

With small / big flange available

SHARING Diamond Marble Saw Blades

Diameter (mm/Inch)	Hole (mm)	Segment Height (mm)	Segment No. (pcs/set)	Steel Blank Type	Welding Method
250mm(10")	50/60	10/12/15/20	18 - 46	Normal	Silver Welded
800mm(32")					




SGT0010-A SGT0010-B SGT0010-C SGT0010-D SGT0010-F




SHARING Diamond Wire Saw



Diameter (mm)	Fixing Type	Beads No. (pcs/M)			Purpose
		Granite	Marble	Concrete	
Ø11.5	Rubber	40	x	x	Granite Quarry
	Spring	x	28-33	x	Marble Quarry
	Rubber + Spring	40	x	40	Concrete, Granite Quarry
Ø11.0	Rubber	40	x	x	Granite Quarry
	Plastic	37	33	x	Block Squaring, Cutting
	Spring	x	28-33	x	Marble Quarry
Ø10.5	Rubber + Spring	40	x	40	Concrete Cutting, Granite Quarry
	Plastic	37	33	x	Block Squaring, Cutting
	Rubber + Spring	x	x	40	Concrete Cutting
Ø10.0	Plastic	37	33	x	Block Squaring, Cutting
Ø9.0	Plastic	37	33	x	Profiling
Ø8.8	Plastic	37	33	x	Profiling
Ø8.5	Plastic	37	33	x	Profiling, Multi-Wire Cutting
Ø8.2	Plastic	37	33	x	Profiling, Multi-Wire Cutting
Ø7.2	Plastic	37	33	x	Multi-Wire Cutting



SHARING Diamond Segment



Marble Gang Saw Segment



250-800mm Segments



900-3600mm Segments



Atk Diamond Segments (250mm-1200mm)



Granite 250-300mm Segments



Segments of Drill Bits



Multi-Saw Blades Segments

Multi Diamond Saw Blades




Electroplated Blades With Protected Tooth

Laser Welded Blades

Laser Asphalt Blades With Undercut Protection

Tuck Point Saw Blades

Shank Sculpture Cutter



Flap Disc



Diamond Multi-Blades



Cross Saw Blades

SHARING Diamond Backer Pads



Rubber Backer Pads



Aluminum Backer Pads




Plastic Snail Lock Backer Pads



Aluminum Snail Lock Backer Pads




SHARING Diamond Hand Pads




SGT0033DHP-B-Electroplated-Hand-Pads



BSGT0033DHP-C-Electroplated-Bull-Nose-Hand-Pads



SGT0033DHP-E-Resin-Bull-Nose-Hand-Pads



SGT0033DHP-D-Resin-Hand-Pads



Item No.	Size/Color	Bond	Grit	Work Type
SGT0033DHP-B		Electroplated	60#, 120#	Wet
SGT0033DHP-C	90mm*55mm	Electroplated	200#, 400#	
SGT0033DHP-D	105mm*55mm	Resin	800#, 1800	
SGT0033DHP-E		Resin	#, 3500#	



SHARING Diamond Granite Saw Blades



SGT0033-A



SGT0033-B



SGT0033-C



SGT0033-E



SGT0033-F



SGT0033-G



SGT0033-H



SGT0033-I



SGT0033-P



SGT0033-Q



SGT0033-T




SGT0033-U




SHARING Diamond Edge Pads



Edge-Polishing-Pad-SGTEPP001



Edge-Polishing-Pad-SGTEPP002



Item No.	Central Bore(mm)	Working Thickness (mm)	Diameter (mm)	Weight (g)	Grit
SGTEPP001	25	7	100	210	50#, 100
SGTEPP002	25	5	100	215	#, 200#, 4
SGTEPP003	40	3	100	185	00#, 800
SGTEPP004	25	10	100	245	#, 1500#,
SGTEPP005	35	11	133	390	3000#



Snail Back Pads



SHARING Diamond Floor Polishing Pads



SGT0001-A



SGT0001-B



SGT0001-N, SGT0001-O



SGT0001-M



SGT0001-E - SGT0001-K



SGT0001-C



SGT0001-D



SGT0001-P



SGT0001-Q

SHARING DIAMOND TOOLS


SHARING Diamond CNC Profile Wheel



Diameter	Stone Shapes	Thickness	Grit No.			
			Pos1	Pos2	Pos3	Pos4
80mm	A, B, D, E,	20mm				
	F, G, H, I,	30mm				
	L, M, N, O,	40mm				
100mm	P, Q, S, T,	50mm	#30/40	#70/80	#150/170	#200/230
	U, V, WF,					
	DD, DC					

For example: A30 = A Shape with 30mm thickness, B20 = B Shape with 20mm thickness

SHARING Diamond Belts




Electroplated Diamond Belts SGT0031-B

Size/Color	Grit		
	125mm*38mm	60#	120#
150mm*38mm	60#	120#	400#



Resin Diamond Belts SGT0031-C

Size/Color	Grit		
	125mm*38mm	60#	120#
150mm*38mm	60#	120#	400#



SHARING Diamond Cup Wheel



SGT0024-A

SGT0024-B


SGT0024-C

SGT0024-D

SGT0024-E

SGT0024-F

SGT0024-G



SGT0024-H

SGT0024-I

SGT0024-J

SGT0024-K

SGT0024-L

SGT0024-M

SHARING Diamond Hand Pads



SGT0033DHP-B
Electroplated Hand Pads




BSGT0033DHP-C
Electroplated Bull-Nose Hand Pads

Item No.	Size/Color	Bond	Grit	Work Type
SGT0033DHP-B	90mm*55mm	Electroplated	60#, 120#	Wet
SGT0033DHP-C		Electroplated	200#, 400#	
SGT0033DHP-D	105mm*55mm	Resin	800#, 1800	
SGT0033DHP-E		Resin	#, 3500#	

SGT0033DHP-D-Resin Hand Pads



SGT0033DHP-E
Resin Bull-Nose Hand Pads



SHARING DIAMOND TOOLS

SHARING Diamond Brazed Tools



SHARING Diamond Finger Bits



Diameter	Legnth
20mm	40mm
25mm	50mm



Segment with Resin



Straight Segment



Turbo Segment



Extrapointed



Finger Router Bits



CNC Sculpture Finger Router

SHARING Diamond Core Drill



Diameter (mm)	Segment Thickness(mm)	Segment Height(mm)
22-45	3.5	10
51-90	3.5/4	10
102-134	4.5	10
162-202	5	10

Other dimension is available.



SHARING Diamond Grinding Disk



Diameter	Grit No.	Type
100mm (4")	#50, #100	Metal Bond
125mm (5")	#200, #400	Metal & Resin Bond
150mm (6")	#600, #800	Resin Bond
180mm (7")	#1500	Resin Bond
200mm (8")	#3000, Buff	Resin Bond
250mm (10")		



SGT0028-A



SGT0028-B



SGT0028-C



SGT0028-D




SGT0028-E



SHARING Diamond Metal Fickert




Code	Water Quantity Needed	GRIT	Length	Height	Life(M2) 20mm Height for Medium Hard Granite (Only for Reference)
1	Big	35/40	140mm or 170mm	12mm or 15mm or 20mm	10000
2		40/50			13000
3		50/60			17000
4		70/80			22000
5		80/100			29000
6		100/120			37000
7		140/200			40000




SGT0021-H



SGT0021-G




SGT0021-A




SGT0021-B




SGT0021-C



SGT0021-D




SGT0021-E



SGT0021-F

SHARING Diamond Rollers


Type	D(mm)	L(mm)	Segment Size	Spiral	Grit
G300	φ C240	295	40×9×12	5/7	40# 50# 60# 70# 80# 100# 120# 140#
G400	φ C240	395	40×9×12	5/7	
G500	φ C240	495	40×9×12	5/7	
G600	φ C240	595	40×9×12	5/7	
G800	φ C240	795	40×9×12	5/7	
G1000	φ C240	995	40×9×12	5/7	
G1200	φ C240	1200	40×9×12	5/7	



SHARING Diamond Points & Burs




SGT-SP00001



SGT-SP00002



SGT-SP00003



SGT-SP00004



SGT-SP00005



SGT-SP00006


SHARING Diamond Router Bits

Diameter	Stone Shapes	Spindle	Thickness	Grit No.			
				Pos1	Pos2	Pos3	Pos4
80mm	A, B, D, E, F, G, H, I, L, M, N, O, P, Q, S, T, U, V, WF, DD, DC	M8 M10 M14 1/2 Gas	20mm	#30/40	#70/80	#150/170	#200/230
30mm							
40mm							
50mm							



SHARING DIAMOND TOOLS

SHARING New Products



SGT0034-O
Flap Disc



SGT-E0001
Electroplated Blades With Protected Tooth



SGT0033-W
Diamond Brazed Pads



SGT0025G
Polishing Drum Wheel



SGT-A0002
Asphalt Blades With Protected Tooth



SGT-R0001
Diamond Ring Blades



SGT0033-V
Diamond Brazed Pads



SGT-C0001
Diamond Connector


SHARING Diamond Glass Tools




SGT-GG0001



SGT-GG0002



SGT-GG0003



SGT-GG0004



SGT-GG0005



SGT00240

SHARING Magnesite Abrasive I



Magnesite Abrasive
For Glazed Tiles - I



Magnesite Abrasive
For Glazed Tiles - II



Magnesite Abrasive
For Glazed Tiles - III



Magnesite Abrasive
For Glazed Tiles - VI



Magnesite Abrasive
For Marble - I



Magnesite Abrasive
For Marble - II



Magnesite Abrasive
For Marble - III



Magnesite Abrasive
For Marble - VI



Magnesite Abrasive
For Artificial Quartz



Magnesite Abrasive
For Artificial Marble - I



Magnesite Abrasive
For Ceramic - I



Magnesite Abrasive
For Ceramic - II



Magnesite Abrasive
For Ceramic - III



Magnesite Abrasive
For Ceramic - VI



Brush For Mill Surface
& Arched Panel - I



Brush For Mill Surface
& Arched Panel - II



Brush For Mill Surface
& Arched Panel - III




Brush For Mill Surface
& Arched Panel - IV



Magnesite For
Microcrystalline Panels - I



Magnesite For
Microcrystalline Panels - II



Magnesite For
Microcrystalline Panels - III



Magnesite/Abrasive
Stone For Granite

SHARING Magnesite Abrasive II



Magnesite Abrasive
Stone For Granite I



SGTMSM002-VR
Resin Bonded



SGTMSM006-VR
Pressed Lux




SGTMSM008 Grinding
And Polishing For Curve Panels



SGTMSM003-VR
Compound-Pressed



SGTMSM011-VR SMALL
TRIANGLE ABRASIVE STONE



Tools For Special Shape

